

scheppach

Germany

IXES 20 Volt

Workshop Tools

Garden Tools



Your battery for everything







We want to make sure that you can implement all the projects in your workshop and garden without any concern.

That is why we don't just ensure ideal value for money with our products but also reliable quality and maximum safety.

So you don't have to worry in the future, we're giving you our Scheppach Guarantee Promise - 10 years' guarantee with all tools.

*Find the warranty conditions here. Register your purchase and benefit from our warranty promise.





projects

Discover our battery range now!



Discover the future

of cordless work with Scheppach!

Whether screwing, drilling, sawing, mowing or hedge trimming – only a single battery is needed to supply all your devices with power. In this way, the Scheppach IXES 20 Volt series (Intelligent Exchange Series) doesn't just allow easy switching between different tools but also flexible working, completely without cables getting tangled up.



Advantages of our 20 V system





Suitable for all kinds of work around the house, garden, yard and in the workshop.



1 battery for more than 50 tools - saving resources and promoting sustainability.



Flexible working without cables getting tangled up No extension leads, no emissions - just insert the battery and get started.



Powerful tools, also suitable for extensive and demanding projects.



Top quality and maximum safety so you can always implement all your projects reliably.

One battery for all devices ensures maximum freedom of movement



LONG-LASTING BATTERIES FOR ALL REQUIREMENTS

Our powerful next-generation Lithium-ion batteries ensure reliability and a long service life. Innovative individual cell management also guarantees efficient use and maximum battery run time. Whether small tasks around the house and workshop or major, complex work - thanks to the compact design and low weight, practically all projects can be implemented.



BATTERY MANAGEMENT SYSTEM - SMART CONTROL ELECTRONICS

Our Battery Management System (BMS) continuously monitors and regulates all safety-related processes as well as device performance. Additionally, individual cell management ensures equal charging and discharging of the battery cells, thus reliably protecting from overheating as well as excess voltage.



- **∔** EXTENDED SERVICE LIFE
- **★** MAXIMUM DEVICE POWER
- → MAXIMUM SAFETY
- + LONGER BATTERY RUN TIMES





TWICE THE BATTERY POWER - FOR PARTICULAR CHALLENGES

Particularly high-performance devices, such as some lawn mowers, chain saws or hedge trimmers, need more power than one battery can provide. If this is the case, just add another battery, thus generating 20 V + 20 V = 40 V. Not only does this increase voltage (V) but also power (W) - so you can tackle all your challenges!







SMART TECHNOLOGY MAXIMUM PERFORMANCE FOR YOUR PROJECTS

In addition to battery run times, the provided output is critical for tougher tasks in particular. The permanent communication between battery and device as well as smart control in our tools therefore ensure maximum performance as well as long service life and run times. Furthermore, our batteries feature state-of-the-art RFID and other technologies.





Thanks to Cell Balancing, all the battery's safety-related parameters are checked at all times and the equal use of each cell is controlled - this guarantees efficient use and maximum battery run times.






Brushless drive technology ensures maximum efficiency



MAINTENANCE-FREE BRUSHLESS MOTORS ENSURE MORE POWER

Many of our Scheppach 20 Volt tools are equipped with innovative brushless motor technology. The brushless motors are maintenance-free and ensure a significantly higher device performance as well as longer service life and run times. Ideal also for major projects - thanks to low heat development, the brushless tools can be operated for extended periods even at high performance without overheating.



Workshop Tools

















COMING SOON

50 – 51 CORDLESS PLUNGE SAW



















COMING SOON

78 – 79

CORDLESS PRESSURE CLEANER

COMING SOON

80 – 81

CORDLESS PAINT
AND MORTAR STIRRER



Garden Tools






















MOBILE WORKSHOP CORDLESS SCREW DRIVER WITH BATTERY, BATTERY CHARGER & 74-PIECE ACCESSORIES SET

- All-in-one: mobile workshop with battery-operated screw driver and comprehensive accessories set for all kinds of work around the workshop, garden, construction site or for mobile use
- Cordless work with the Scheppach IXES 20 Volt series all batteries and chargers belonging to this system series can be combined with the mobile workshop
- High-performance motor with powerful 2-gear gear box and adjustable speed
- High output, thanks to a max. 50 Nm torque
- 25 torque levels as well as 1 drilling level allow operation to suit the material and application
- Charger with automatic deactivation and LED charge display
- Powerful 20 Volt battery with lithium-ion technology without self-discharge or memory effect
- Robust transport case for mobile use and space-saving storage
- Includes 20 V / 2.0 Ah battery, 2.4 A charger and 74-piece accessories set: 1x cutter knife, 1x carpenter's pencil, 1x pencil lead, 1x tape measure (5 m), 1x centre punch, 1x wood countersink, 8x socket adapters 1/4", 5x wood drills, 14x metal drills, 10x bit inserts 50 mm long, 10x bit inserts 75 mm long, 20x bit inserts 25 mm long, 1x bit holder 1/4"

PRODUCT DETAILS

Light & compact





74 piece tool set



All in One



Part of the battery platform



LOGIS	STICAL	DATA
101 1 1 4		

Weight net / gross	5.2 / 5.6 kg
Packaging dimensions	340 x 165 x 355 mm
Article number	5909315900
Barcode	4046664216742
20 Container	1078 pcs
40 Container	2232 pcs
40 HQ Container	2232 pcs

SPECIFICATIONS

Dimensions L x W x H	230 x 80 x 190 mm
Tool box	74 pcs
Motor type	Brush motor
Max. torque	50 Nm
Torque adjustment	25 + 1
Chuck Ø	1.5 – 13 mm
Nominal and idle speed	1st gear: 0 – 400 rpm 2nd gear: 0 – 1550 rpm
Locking function	automatic
Battery voltage	20 V / 2.0 Ah Lithium
Power battery charger	230 – 240 V~ / 50 Hz / 2.4 A



MOBILE WORKSHOP

SUITABLE FOR

House

Construction site

Kfz

Garden

Camping



















ONE CASE CONTAINING EVERYTHING YOU NEED



- 1x cutter knife
- **1x** carpenter's pencil
- 1x pencil lead
- **1x** tape measure (5 m)
- 1x centre punch
- 1x wood countersink
- 8x socket adapters 1/4"
- **5x** wood drills
- 14x metal drills
- **10x** bit inserts 50 mm long
- **10x** bit inserts 75 mm long
- 20x bit inserts 25 mm long
- 1x bit holder 1/4"



- 1x Cordless drill
- 1x 2.4 A battery charger
- **1x** 20 V / 2.0 Ah battery
- 50 Nm torque for all work around the house, garden and construction site
- High-quality metal chuck capacity 1.5 – 13 mm
- Idle speed:

1st gear: 0 – 400 rpm

2nd gear 0 - 1550 rpm



- Durable thanks to high-quality materials
- Mobile and easy to handle thanks to transport case



MOBILE WORKSHOP CORDLESS SCREW DRIVER WITH TWO BATTERIES, BATTERY CHARGER & 74-PIECE ACCESSORIES SET

- All-in-one: mobile workshop with battery-operated screw driver and comprehensive accessories set for all kinds of work around the workshop, garden, construction site or for mobile use
- Cordless work with the Scheppach IXES 20 Volt series all batteries and chargers belonging to this system series can be combined with the mobile workshop
- High-performance motor with powerful 2-gear gear box and adjustable speed
- High output, thanks to a max. 50 Nm torque
- 25 torque levels as well as 1 drilling level allow operation to suit the material and application
- Charger with automatic deactivation and LED charge display
- Powerful 20 Volt battery with lithium-ion technology without self-discharge or memory effect
- Robust transport case for mobile use and space-saving storage
- Includes 2x 20 V / 2.0 Ah battery, 2.4 A charger and 74-piece accessories set: 1x cutter knife, 1x carpenter's pencil, 1x pencil lead, 1x tape measure (5 m), 1x centre punch, 1x wood countersink, 8x socket adapters 1/4", 5x wood drills, 14x metal drills, 10x bit inserts 50 mm long, 10x bit inserts 75 mm long, 20x bit inserts 25 mm long, 1x bit holder 1/4"

PRODUCT DETAILS

Light & compact



Mobile

74 piece tool set



All in One



Part of the battery platform



LOGISTICAL DATA

Weight net / gross	5.8 / 6.1 kg
Packaging dimensions	340 x 165 x 355 mm
Article number	5909316900
Barcode	4046664216759
20 Container	1078 pcs
40 Container	2232 pcs
40 HQ Container	2232 pcs

Dimensions L x W x H	230 x 80 x 190 mm
Tool box	74 pcs
Motor type	Brush motor
Max. torque	50 Nm
Torque adjustment	25 + 1
Chuck Ø	1.5 – 13 mm
Nominal and idle speed	1st gear: 0 – 400 rpm 2nd gear: 0 – 1550 rpm
Locking function	automatic
Battery voltage	20 V / 2.0 Ah Lithium

230 - 240 V~ / 50 Hz / 2.4 A

Power battery charger



MOBILE WORKSHOP

SUITABLE FOR

House

Construction site

Kfz

Garden

Camping

















Speed configuration using powerful 2-gear drive



Practical belt clip - ideal for working on a ladder



ONE CASE CONTAINING EVERYTHING YOU NEED





1x carpenter's pencil

1x pencil lead

1x tape measure (5 m)

1x centre punch

1x wood countersink

8x socket adapters 1/4"

5x wood drills 14x metal drills

10x bit inserts 50 mm long

10x bit inserts 75 mm long 20x bit inserts 25 mm long

1x bit holder 1/4"



1x Cordless drill

1x 2.4 A battery charger

2x 20 V / 2.0 Ah battery

• 50 Nm torque for all work around the house, garden and construction site

 High-quality metal chuck – capacity 1.5 - 13 mm

• Idle speed: 1st gear: 0 - 400 rpm 2nd gear 0 - 1550 rpm



 Durable thanks to high-quality materials

 Mobile and easy to handle thanks to transport case



MOBILE WORKSHOP CORDLESS IMPACT DRILL WITH BATTERY, BATTERY CHARGER & 74-PIECE ACCESSORIES SET

- · All-in-one: mobile workshop with battery-operated impact drill and comprehensive accessories set for all kinds of work around the workshop, garden, construction site or for mobile use
- Cordless work with the Scheppach IXES 20 Volt series all batteries and chargers belonging to this system series can be combined with the mobile workshop
- High-performance motor with powerful 2-gear gear box and adjustable speed
- High output, thanks to a max. 50 Nm torque
- 25 torque levels, 1 drilling level and 1 impact drilling level allow operation to suit the material and application.
- Charger with automatic deactivation and LED charge display
- Powerful 20 Volt battery with lithium-ion technology without self-discharge or memory effect
- Robust transport case for mobile use and space-saving storage
- Includes 20 V / 2.0 Ah battery, 2.4 A charger and 74-piece accessories set: 1x cutter knife, 1x carpenter's pencil, 1x pencil lead, 1x tape measure (5 m), 1x centre punch, 1x wood countersink, 8x socket adapters 1/4", 5x wood drills, 14x metal drills, 10x bit inserts 50 mm long, 10x bit inserts 75 mm long, 20x bit inserts 25 mm long, 1x bit holder 1/4"

PRODUCT DETAILS

Light & compact






74 piece tool set



All in One







LOGISTICAL DATA

Weight net / gross	5.4 / 5.8 kg
Packaging dimensions	340 x 165 x 355 mm
Article number	5909317900
Barcode	4046664216766
20 Container	1078 pcs
40 Container	2232 pcs
40 HQ Container	2232 pcs

SPECIFICATIONS	
Dimensions L x W x H	230 x 80 x 190 mm
Tool box	74 pcs
Motor type	Brush motor
Max. torque	50 Nm
Torque adjustment	25 + 1 + 1
Chuck Ø	1.5 – 13 mm
Nominal and idle speed	1st gear: 0 – 400 rpm 2nd gear: 0 – 1550 rpm
Impact rating	1st gear: 0 – 6000 bpm 2nd gear: 0 – 22,500 bpm
Locking function	automatic
Battery voltage	20 V / 2.0 Ah Lithium
Power battery charger	230 - 240 V~ / 50 Hz / 2.4 A



MOBILE WORKSHOP

SUITABLE FOR

House

Construction site

Kfz

Garden

Camping















ONE CASE CONTAINING EVERYTHING YOU NEED







- 1x cutter knife
- **1**x carpenter's pencil
- 1**x** pencil lead
- 1x tape measure (5 m)
- **1**x centre punch
- 1x wood countersink
- 8x socket adapters 1/4"
- **5**x wood drills
- 14x metal drills
- 10x bit inserts 50 mm long
- 10x bit inserts 75 mm long
- 20x bit inserts 25 mm long
- 1x bit holder 1/4"

- 1x cordless impact drill
- 1x 2.4 A battery charger
- 1x 20 V / 2.0 Ah battery
- 50 Nm torque for all work around the house, garden and construction site
- High-quality metal chuck capacity 1.5 - 13 mm
- Idle speed:
 - 1st gear: 0 400 rpm
 - 2nd gear: 0 1550 rpm
- Impact rating:
 - 1st gear: 0 6000 bpm

2nd gear: 0 - 22,500 bpm

- Durable thanks to high-quality
- materials
- Mobile and easy to handle thanks to transport case



UNIVERSAL USE







MOBILE WORKSHOP CORDLESS IMPACT DRILL WITH TWO BATTERIES, BATTERY CHARGER & 74-PIECE ACCESSORIES SET

- All-in-one: mobile workshop with battery-operated impact drill and comprehensive accessories set for all kinds of work around the workshop, garden, construction site or for mobile use
- Cordless work with the Scheppach IXES 20 Volt series all batteries and chargers belonging to this system series can be combined with the mobile
- High-performance motor with powerful 2-gear gear box and adjustable speed
- High output, thanks to a max. 50 Nm torque
- 25 torque levels, 1 drilling level and 1 impact drilling level allow operation to suit the material and application.
- Charger with automatic deactivation and LED charge display
- Powerful 20 Volt battery with lithium-ion technology without self-discharge or memory effect
- Robust transport case for mobile use and space-saving storage
- Includes 2x 20 V / 2.0 Ah battery, 2.4 A charger and 74-piece accessories set: 1x cutter knife, 1x carpenter's pencil, 1x pencil lead, 1x tape measure (5 m), 1x centre punch, 1x wood countersink, 8x socket adapters 1/4", 5x wood drills, 14x metal drills, 10x bit inserts 50 mm long, 10x bit inserts 75 mm long, 20x bit inserts 25 mm long, 1x bit holder 1/4"

PRODUCT DETAILS

Light & compact





74 piece tool set



All in One







LOGISTICAL DATA

Weight net / gross	5.7 / 6.3 kg
Packaging dimensions	340 x 165 x 355 mm
Article number	5909318900
Barcode	4046664216773
20 Container	1078 pcs
40 Container	2232 pcs
40 HQ Container	2232 pcs

OI LOII IOATIONO	
Dimensions L x W x H	230 x 80 x 190 mm
Tool box	74 pcs
Motor type	Brush motor
Max. torque	50 Nm
Torque adjustment	25 + 1 + 1
Chuck Ø	1.5 – 13 mm
Nominal and idle speed	1st gear: 0 – 400 rpm 2nd gear: 0 – 1550 rpm
Impact rating	1st gear: 0 – 6000 bpm 2nd gear: 0 – 22,500 bpm
Locking function	automatic
Battery voltage	20 V / 2.0 Ah Lithium
Power battery charger	230 - 240 V~ / 50 Hz / 2.4 A



MOBILE WORKSHOP

SUITABLE FOR

House

Construction site

Kfz

Garden

Camping











UNIVERSAL USE







ONE CASE CONTAINING EVERYTHING YOU NEED



- 1x cutter knife
- 1x carpenter's pencil
- 1x pencil lead
- **1x** tape measure (5 m)
- 1x centre punch
- 1x wood countersink
- 8x socket adapters 1/4"
- **5x** wood drills
- 14x metal drills
- **10x** bit inserts 50 mm long
- **10x** bit inserts 75 mm long
- 20x bit inserts 25 mm long
- 1x bit holder 1/4"



- 1x cordless impact drill
- 1x 2.4 A battery charger
- 2x 20 V / 2.0 Ah battery
- 50 Nm torque for all work around the house, garden and construction site
- High-quality metal chuck capacity
 1.5 13 mm
- Idle speed:
 - 1st gear: 0 **–** 400 rpm
 - 2nd gear: 0 1550 rpm
- Impact rating:
 - 1st gear: 0 **–** 6000 bpm

2nd gear: 0 - 22,500 bpm



- Durable thanks to high-quality materials
- Mobile and easy to handle thanks to transport case







Part of the battery platform

CORDLESS DRILL

- · Powerful cordless drill with 2-in-1 function for screwing and drilling - ideal for the home, garden, construction site or mobile use
- · Cordless work with the Scheppach IXES 20 Volt series all batteries



10	GIST	ICAL	DATA
	GIOI	IVAL	

20010110/12 2/11/1	
Weight net / gross	1.3 / 1.7 kg
Packaging dimensions	265 x 265 x 85 mm
Article number	5909238900
Barcode	4046664216582
20 Container	3870 pcs
40 Container	8125 pcs
40 HQ Container	9575 pcs

SPECIFICATIONS 200 x 200 x 80 mm Dimensions L x W x H Motor type **Brush motor** Max. torque 45 Nm Torque levels 25 + 11st: 0 - 420 min⁻¹ Nominal and idle speed 2nd: 0 - 1500 min⁻¹ 1.5 - 13 mm Chuck Locking function automatic **Battery voltage** 20 V



EXAMPLES OF USE

SUITABLE FOR

Workshop



Construction site



House





UNIVERSAL USE















45 Nm torque



Chuck Ø 1.5 mm – 13 mm



20 V

1st gear: 0 – 420 rpm 2nd: 0 – 1500 rpm



LED work light



Belt clip





CORDLESS DRILL

- Powerful cordless drill ideal for the home, garden, construction site or mobile use
- Maintenance-free, particularly efficient, brushless motor with longer run time and service life as well as low wear
- Cordless work with the Scheppach IXES 20 Volt series all batteries and chargers belonging to this system series can be combined with the cordless drill
- High output, thanks to a max. 60 Nm torque
- 25 torque levels und 1 drilling level allow operation to suit the material and application
- · Steplessly adjustable speed using the On/Off switch
- · With clockwise and anti-clockwise function
- · Quick switching between functions without the need for tools
- The high-quality and robust quick-release metal chuck has a capacity of 1.5 to 13 mm with automatic spindle locking
- Speed configuration using powerful 2-gear drive and impact mechanism that can be selected
- Practical LED work light with additional 10 seconds of light after switching off the drill ensures perfect lighting even in poor lighting conditions
- Practical belt clip ideal when working on a ladder
- · Battery and charger available separately



Battery and charger available separately

LOGISTICAL DATA	
Weight net / gross	1.2 / 1.5 kg
Packaging dimensions	245 x 255 x 85 mm
Article number	5909239900
Barcode	4046664216728
20 Container	4225 pcs
40 Container	8925 pcs
40 HQ Container	10,500 pcs

power consumption

· Longer battery life, thanks to lower

SPECIFICATIONS	
Dimensions L x W x H	200 x 200 x 80 mm
Motor type	Brushless motor
Max. torque	60 Nm
Torque levels	25 + 1
Nominal and idle speed	1st: 0 – 450 rpm 2nd: 0 – 1600 rpm
Chuck	1.5 – 13 mm
Locking function	automatic
Battery voltage	20 V



EXAMPLES OF USE

SUITABLE FOR

Workshop





Garden













PRODUCT DETAILS

60 Nm torque



Chuck Ø 1.5 mm – 13 mm



1st gear: 0 – 450 rpm 2nd: 0 – 1600 rpm



20 V



LED work light



Belt clip











Practical LED work light

Part of the battery platform

CORDLESS IMPACT DRILL

 Powerful cordless impact drill with 3-in-1 function: drilling, impact drilling, screwing



LOGISTICAL DATA

LOGISTICAL DATA	
Weight net / gross	1.4 / 1.8 kg
Packaging dimensions	385 x 260 x 90 mm
Article number	5909236900
Barcode	4046664216711
20 Container	3650 pcs
40 Container	7750 pcs
40 HQ Container	9100 pcs

SPECIFICATIONS	
Dimensions L x W x H	230 x 220 x 100 mm
Motor type	Brush motor
Max. torque	45 Nm
Torque levels	19 + 1 + 1
Nominal and idle speed	1st: 0 – 420 rpm 2nd: 0 – 1500 rpm
Nominal speed	0 - 6300 / 0 - 22,500 rpm
Chuck	1.5 – 13 mm
Locking function	automatic
Battery voltage	20 V



EXAMPLES OF USE

SUITABLE FOR

Workshop





Garden







45 Nm torque

















20 V

1st gear: 0 - 420 rpm

PRODUCT DETAILS





LED work light










Steplessly adjustable speed using the On/Off switch



UNIVERSAL USE







CORDLESS IMPACT DRILL



SDECIEIC ATIONS

SPECIFICATIONS	
Dimensions L x W x H	200 x 200 x 80 mm
Motor type	Brushless motor
Max. torque	60 Nm
Torque levels	19 + 1 + 1
Nominal and idle speed	1st: 0 – 450 rpm 2nd: 0 – 1600 rpm
Nominal speed	0 - 6750 / 0 - 24,000 rpm
Chuck	1.5 – 13 mm
Locking function	automatic
Battery voltage	20 V

LOGISTICAL DATA	
Weight net / gross	1.3 / 1.6 kg
Packaging dimensions	250 x 260 x 85 mm
Article number	5909237900
Barcode	4046664218043
20 Container	4000 pcs
40 Container	8450 pcs
40 HQ Container	9925 pcs



EXAMPLES OF USESUITABLE FOR

Workshop

Construction site



Garden





























1/4 INCH CORDLESS IMPACT SCREWDRIVER

 Powerful cordless impact screwdriver – a practical all-rounder for the home, garden, construction site or mobile use



LOGISTICAL DATA

LOGISTICAL DATA	
Weight net / gross	1.3 / 1.7 kg
Packaging dimensions	240 x 240 x 90 mm
Article number	5909245900
Barcode	4046664217848
20 Container	4225 pcs
40 Container	8925 pcs
40 HQ Container	10,500 pcs

OI LOII IOATIONO	
Dimensions L x W x H	230 x 185 x 80 mm
Motor type	Brush motor
Max. torque	180 Nm
Nominal and idle speed	0 – 2800 rpm
Impact rate	0 – 3600 bpm
Holder	1/4" hex socket holder
Battery voltage	20 V

Product features

CORDLESS IMPACT



EXAMPLES OF USE

SUITABLE FOR

Workshop

Construction site



Garden









PRODUKT-DETAILS

180 Nm torque

1/4" hex socket holder





Impact rate 3600 bpm







LED work light



20 V







Easy bit replacement, thanks to 1/4" hex socket holder with locking sleeve



UNIVERSAL USE





- ideal when working on a ladder

1/2 INCH CORDLESS IMPACT **SCREWDRIVER**

- switching off the device ensures perfect lighting of the working
- · Steplessly adjustable speed and practical quick-stop function in



LOGISTICAL DATA

LOGIOTIONE DATA	
Weight net / gross	1.7 / 2 kg
Packaging dimensions	235 x 210 x 90 mm
Article number	5909246900
Barcode	4046664217831
20 Container	4700 pcs
40 Container	9900 pcs
40 HQ Container	11,625 pcs

SPECIFICATIONS	
Dimensions L x W x H	205 x 150 x 60 mm
Motor type	Brushless motor
Max. torque	350 Nm / 370 Nm Anti-clockwise operation
Nominal and idle speed	0 – 1800 rpm 0 – 2800 rpm
Impact rate	0 – 3600 bpm
Holder	1/2"
Battery voltage	20 V



EXAMPLES OF USESUITABLE FOR

Workshop

Construction site

House

Garden









UNIVERSAL USE



Practical quick-stop function in anti-clockwise operation – the device turns off as soon as the screw has become loose to prevent it from falling down.

Wide range of uses, thanks to two torque levels: 180 Nm and 350 Nm.







PRODUCT DETAILS

Clockwise operation: 0 – 1800 rpm / 0 – 2800 rpm Anti-clockwise operation: 0 – 2400 rpm



Clockwise operation: 180 / 350 Nm Anti-clockwise operation: 370 Nm



Impact rate 0 - 3600 bpm



1/2" holder



Quick-stop function



Belt clip



LED work light



20 V





LOGISTICAL DATA	
Weight net / gross	1.7 / 2.3 kg
Packaging dimensions	410 x 175 x 115 mm
Article number	5909234900
Barcode	4046664216476
20 Container	2680 pcs
40 Container	5600 pcs
40 HQ Container	6600 pcs

SPECIFICATIONS	
Dimensions L x W x H	395 x 240 x 115 mm
Motor type	Brush motor
Nominal speed	2500 – 10,000 rpm
Grinding disc Ø	125 mm
Tool holder	M14
Locking function	Spindle lock
Battery voltage	20 V



EXAMPLES OF USESUITABLE FOR

Workshop

Construction site

House

Garden

















PRODUCT DETAILS

Protection against overload



Ø 125 mm



Speed 2500 – 10,000 rpm



20 V





UNIVERSAL USE








CORDLESS ANGLE GRINDER

- · Powerful cordless angle grinder for cutting, deburring or polishing
- Maintenance-free, particularly efficient, brushless motor with longer run time and service life as well as low wear
- Cordless work with the Scheppach IXES 20 Volt series all batteries and chargers belonging to this system series can be combined with the cordless angle grinder
- Slim housing design with soft-grip and aluminium front allows working in narrow areas
- Integrated soft-start and protection against overload ensure a long service life
- · Protective shatter-proof cover can be adjusted without the need for tools
- Speed adjustment from 3000 to 10,000 rpm in 6 steps using convenient buttons for operation to suit the material and application
- 3-position front handle with storage compartment for assembly key and non-slip soft-grip ensures increased comfort and safety

3-position front handle with non-slip soft-grip

- · Easy tool replacement, thanks to spindle lock
- · M14 tool holder and 125 mm disc diameter
- · Battery and charger available separately
- Includes 1x 125 mm cutting wheel, 1x two-hole assembly key, 1x 3-position front handle





LOGISTICAL DATA	
Weight net / gross	1.6 / 2.3 kg
Packaging dimensions	410 x 175 x 115 mm
Article number	5909235900
Barcode	4046664216575
20 Container	2880 pcs
40 Container	6080 pcs
40 HQ Container	7140 pcs

SPECIFICATIONS	
Dimensions L x W x H	395 x 240 x 115 mm
Motor type	Brushless motor
Nominal speed	3000 – 10,000 rpm
Grinding disc Ø	125 mm
Tool holder	M14
Locking function	Spindle lock
Battery voltage	20 V



SUITABLE FOR

Workshop





Garden















Protection against overload







Speed 3000 – 10,000 rpm



20 V





3-position front handle with non-slip soft-grip





Speed adjustment in 6 steps using convenient buttons



Protective shatter-proof cover can be adjusted


can be adjusted without the need for tools


Storage compartment for a two-hole

for a two-hole assembly key









Part of the battery platform

CORDLESS JIGSAW

- Cordless jigsaw for precise cuts in different materials, such as timber, metal, aluminium, brass, plastic etc. (when using a suitable saw blade)
- Cordless work with the Scheppach IXES 20 Volt series all batteries and chargers belonging to this system series can be combined with the cordless jigsaw



01 2011 107 111 0110	
Dimensions L x W x H	240 x 220 x 75 mm
Motor type	Brush motor
Stroke rate	0 – 2400 rpm
Stroke length	19 mm
Pendulum stroke levels	1 – 3 and fine cut setting
Cutting angle	7 adjustable -45° / -30° / -15° / 0° / +15° / +30°/ +45°
Cutting depth max.	100 mm (timber), 6 mm (metal) 8 mm (plastic)
Battery voltage	20 V

LOGISTICAL DATA	
Weight net / gross	1.5 / 1.9 kg
Packaging dimensions	280 x 245 x 90 mm
Article number	5901817900
Barcode	4046664217787
20 Container	3640 pcs
40 Container	7680 pcs
40 HO Container	9040 ncs



EXAMPLES OF USESUITABLE FOR

Workshop




Construction site



House










Quick-release chuck ensures easy saw blade replacement





Sliding shoe prevents the workpiece being scratched, allowing processing of delicate surfaces.





PRODUCT DETAILS

Saw blade length 145 mm



7 cutting angles -45° / -30° / -15° / 0° / +15° / +30° / +45°



Stroke rate 0 – 2400 rpm



Stroke length 19 mm



LED work light



20 V











CORDLESS JIGSAW

- Cordless jigsaw for precise cuts in different materials, such as timber, metal, aluminium, brass, plastic etc. (when using a suitable saw blade)
- Maintenance-free, particularly efficient brushless motor with longer run time and service life as well as low wear
- Cordless work with the Scheppach IXES 20 Volt series all batteries and chargers belonging to this system series can be combined with the cordless jigsaw
- Quick sawing progress, thanks to pendulum stroke adjustable in 3 steps and fine-cut adjustment
- 5 cutting angles that can be adjusted without the need for tools (-45°, -22.5°, 0°, +22.5°, +45°)
- 6 speed level from 1000 3000 strokes per minute
- Foldable, removable, transparent saw blade guard allows safe work
- Guard prevents breakout
- Sliding shoe prevents the workpiece being scratched, allowing processing of delicate surfaces
- Blowing function ensures cutting line is free from shavings
- Quick-release chuck ensures easy saw blade replacement
- Ergonomic and compact design with soft-grip surface
- Practical LED work light with additional 10 seconds of light after switching off the device ensures perfect illumination even in poor lighting conditions
- Battery and charger available separately
- Includes saw blade for timber, parallel stop, connection to external dust extraction, 1 extraction adapter, 1 breakout guard including line guidance, protective cover

High-quality and robust quick-release

chuck



Battery and charger available separately

Dimensions L x W x H	285 x 200 x 75 mm
Motor type	Brushless motor
Stroke rate	1000 – 3000 rpm
Stroke length	25.4 mm
Pendulum stroke levels	1 – 3 and fine cut setting
Cutting angle	5 adjustable -45° / -22.5 / 0° / +22.5° / +45°
Cutting depth max.	100 mm (timber), 10 mm (metal) 15 mm (aluminium)
Battery voltage	20 V

LO	GISI	ICAL	DAIA

Weight net / gross	1.8 / 2.4 kg
Packaging dimensions	310 x 240 x 80 mm
Article number	5901818900
Barcode	4046664217794
20 Container	2840 pcs
40 Container	6000 pcs
40 HQ Container	7000 pcs



EXAMPLES OF USESUITABLE FOR

Workshop



Construction site



House



UNIVERSAL USE











Quick-release chuck ensures easy saw blade replacement

6 speeds adjustable via setting wheel



Parallel stop





Pendulum stroke adjustable in 3 steps and fine cut setting

PRODUCT DETAILS

Saw blade length 152 mm



Stroke length 25.4 mm



Stroke rate 1000 – 3000 rpm



5 cutting angles -45° / -22.5° / 0° / +22.5° / +45°



Blowing function



20 V







Practical LED work light ensures perfect illumination even in poor lighting conditions.



CORDLESS RECIPROCATING SAW

- Powerful cordless reciprocating sabre saw for cutting timber, plastic, non-ferrous metals and building materials (when using the appropriate saw blade)
- Cordless work with the Scheppach IXES 20 Volt series all batteries and chargers belonging to this system series can be combined with the cordless reciprocating sabre saw
- Steplessly adjustable stroke rate of 0 to 2800 rpm and a stroke length of 20 mm
- Fast saw blade replacement without the need for tools, thanks to quick-release chuck
- Ergonomic and compact design with soft-grip handle ensures comfortable operation
- Extendable footplate allows an adjustable cutting depth
- Integrated LED work light ensures perfect illumination of the cutting line
- Battery and charger available separately
- Includes 1x saw blade for timber, 1x Allen key



High-quality and robust quick-release chuck

LED

Ergonomic, compact design with soft-grip handle ensures high operating comfort

Extendable footplate

£

Product features

RECIPROCATING SAWS

- Ideal for demanding tasks, such as sawing timber with nails/ screws
- · All-rounder for universal use
- Particularly large cutting capacity





Battery and charger available separately

SPECIFICATIONS

Dimensions L x W x H	370 x 180 x 75 mm
Motor type	Brush motor
Stroke rate	0 – 2800 rpm
Stroke length	20 mm
Saw blade holder	1/2" (12.7 mm)
Max. cutting depth	115 mm (timber), 6 mm (lightly alloyed steel, with the appropriate saw blade)
Battery voltage	20 V

LOGISTICAL DATA	
Weight net / gross	1.7 / 2.2 kg
Packaging dimensions	450 x 200 x 80 mm
Article number	5909243900
Barcode	4046664217800
20 Container	2720 pcs
40 Container	5800 pcs
40 HQ Container	6800 pcs



SUITABLE FOR

Workshop





Garden










PRODUCT DETAILS

Saw blade length 150 mm



Replacement without tools



Stroke rate 0 – 2800 rpm



Stroke length 20 mm



LED work light




20 V





Extendable footplate allows an adjustable

allows an adjustable cutting depth



LED work light

can be used for perfect illumination of the cutting line



Quick saw blade replacement without the need for tools


thanks to quick-release chuck











CORDLESS RECIPROCATING SAW

- Powerful cordless reciprocating sabre saw for cutting timber, plastic, non-ferrous metals and building materials (when using the appropriate saw blade)
- Maintenance-free, particularly efficient brushless motor with longer run time and service life as well as low wear
- Cordless work with the Scheppach IXES 20 Volt series all batteries and chargers belonging to this system series can be combined with the cordless reciprocating sabre saw
- Fast saw blade replacement without the need for tools, thanks to quick-release chuck
- Adjustable stroke rate of 0 to 3000 rpm and a stroke length of 28 mm
- Ergonomic and compact design with soft-grip handle ensures comfortable operation
- Footplate extendable without the need for tools, allows an adjustable cutting depth
- Integrated LED work light with additional 10 seconds of light after switching off the device ensures perfect illumination of the cutting line
- · Battery and charger available separately
- Includes 1x saw blade for timber and 1x saw blade for metal





- Ideal for demanding tasks, such as sawing timber with nails/ screws
- · All-rounder for universal use
- Particularly large cutting capacity

High-quality and robust quick-release chuck

LED

Extendable footplate

Ergonomic, compact design with soft-grip handle ensures high operating comfort



Product features

BRUSHLESS MOTOR

- Maintenance-free, brushless motor technology
- Service life up to 10 times longer
- Lower thermal motor load
- Maximum efficiency, thanks to ideal power transfer
- Longer battery life, thanks to lower power consumption

₹360°



Battery and charger available separately

SPECIFICATIONS

Dimensions L x W x H	390 x 160 x 80 mm
Motor type	Brushless motor
Stroke rate	0 – 3000 rpm
Stroke length	28 mm
Saw blade holder	1/2" (12.7 mm)
Max. cutting depth	115 mm (timber), 20 mm (plastic), 90 mm (PVC piping)
Battery voltage	20 V

Weight net / gross

 Weight net / gross
 1.8 / 2.3 kg

 Packaging dimensions
 460 x 180 x 90 mm

 Article number
 5909242900

 Barcode
 4046664217824

 20 Container
 2440 pcs

 40 Container
 5140 pcs

 40 HQ Container
 6060 pcs



SUITABLE FOR

Workshop








House



Garden




UNIVERSAL USE











LED work light can be used for perfect illumination of the cutting line







PRODUCT DETAILS

Saw blade length 150 mm



Replacement without tools



Stroke rate 0 – 3000 rpm



Stroke length 28 mm



LED work light



20 V





Dimensions L x W x H	295 x 180 x 200 mm
Saw blade diameter	165 mm
Cutting height at 90° max.	53 mm
Cutting height at 45° max.	39 mm
Angular range max.	45°
Number of saw blade teeth	24
Saw blade speed	4300 rpm
Engine type	Brushed motor
Battery voltage	20 V

LOGISTICAL DATA

Weight net / gross	2.5 / 3.0 kg
Packaging dimensions	310 x 218 x 192 mm
Article number	5901815900
Barcode	4046664216834
20 Container	1670 pcs
40 Container	3520 pcs
40 HQ Container	4140 pcs



EXAMPLES

SUITABLE FOR

Timber boards



Laminate/panelling







scheppach





Ergonomic handle with soft-grip surface





Easy saw blade replacement

thanks to spindle lock

PRODUCT DETAILS

Cutting height at 90°





53 mm

39 mm

Speed

165 / 20 mm saw blade diameter






20 V

LED work light & laser







BC-HCS165-X



CDECI	FIC	ATIC	NIC

SPECIFICATIONS	
Dimensions L x W x H	295 x 180 x 195 mm
Saw blade diameter	165 mm
Cutting height at 90° max.	55 mm
Cutting height at 45° max.	40 mm
Angular range max.	45°
Number of saw blade teeth	24
Saw blade speed	4500 rpm
Engine type	Brushless motor
Battery voltage	20 V

10	GIST	ICAL	DATA
	GIOI	IVAL	PAIA

Weight net / gross	2.8 / 3.5 kg
Packaging dimensions	320 x 200 x 195 mm
Article number	5901816900
Barcode	4046664216841
20 Container	1600 pcs
40 Container	3380 pcs
40 HQ Container	3970 pcs





Ergonomic handle with soft-grip surface

PRODUCT DETAILS

Cutting height at 90°



55 mm



Cutting height at 45°

40 mm

165 / 20 mm saw blade diameter



Speed 4500 rpm



20 V



LED work light





















SPECIFICATIONS	
Dimensions L x W x H	342 x 245 x 170 mm
Saw blade length	733 x 12.7 x 0.4 mm
Cutting speed	1.4 – 2.75 m/s
Cutting-Ø max.	63.5 mm
Motor type	Brushed motor
Battery Voltage	20 V

LOGISTICAL DATA	
Weight net / gross	3.1 / 3.5 kg
Packaging dimensions	355 x 258 x 192 mm
Article number	5901516900
Barcode	4046664245759
20 Container	920 pcs
40 Container	1840 pcs
40 HQ Container	2236 pcs

LOCISTICAL DATA

PRODUCT DETAILS

Saw blade length



733 x 12.7 x 0.4 mm

Cutting-Ø



Max. 63,5 mm

Variable saw band speed



1.4 - 2.75 m/s

Soft-start & protection against overload



LED light





20 V



Quick-release lever

allows removal of the saw band without the need for tools





6-step speed adjustment with

an adjustable saw speed.

Workpiece stop for safe working





LED light will perfectly















SDE	CIE	CAT	PINO

0. 200701.0	
Dimensions L x W x H	270 x 70 x 105 mm
Motor type	Brush motor
Oscillation speed	10,000 – 40,000 rpm
Oscillation angle	3.2°
Battery voltage	20 V

Weight net / gross	1.0 / 1.4 kg
Packaging dimensions	300 x 175 x 110 mm
Article number	5909248900
Barcode	4046664218074
20 Container	2352 pcs
40 Container	4700 pcs
40 HQ Container	5376 pcs



SUITABLE FOR

Workshop





Garden









UNIVERSAL USE















PRODUCT DETAILS

Oscillation angle 3.2°





Speed 10,000 - 40,000 rpm





20 V



Tool-free replacement of accessories using practical quick-release





SPECIFICATIONS	
Dimensions L x W x H	125 x 185 x 170 mm
Motor type	Brush motor
Idle speed	3000 – 12,000 rpm
Oscillating speed	6000 – 24,000 rpm
Sanding plate diameter	125 mm
Oscillating movement	2 mm

20 V

LOGISTICAL DATA	
Weight net / gross	1 / 1.1 kg
Packaging dimensions	150 x 130 x 175 mm
Article number	5909240900
Barcode	4046664216810
20 Container	6080 pcs
40 Container	12,928 pcs
40 HQ Container	14,112 pcs

Battery voltage



EXAMPLES OF USESUITABLE FOR

Workshop



Construction site



House














PRODUCT DETAILS

Velcro fastener







Softstart



Ø 125 mm



Speed 6000 – 24,000 rpm



20 V



C-RHD130-X



SPECIFICATIONS	
Dimensions L x W x H	244 x 228 x 74 mm
Motor type	Brush motor
Impact force	1.3 J
Impact rating	6000 bpm
Max. idle speed	0 – 1100 rpm
Max. drill hole diameter	10 mm (concrete and stone), 8 mm (metal), 16 mm (timber)
Battery voltage	20 V

LOGISTICAL DATA	
Weight net / gross	2.9 / 3.5 kg
Packaging dimensions	365 x 125 x 300 mm
Article number	5909249900
Barcode	4046664226789
20 Container	1660 pcs
40 Container	3500 pcs
40 HQ Container	4100 pcs













PRODUCT DETAILS

Speed 0 - 1100 rpm







SDS-Plus







20 V

LED work light



Attachable quick-release chuck



ONE CASE - MANY USES

1x quick-release chuck

8x bits

3x SDS-Plus twist drills (6, 8, 10 mm)

3x HSS twist drills (5, 6, 8 mm)

1x magnetic bit holder

1x cordless hammer drill

1x 50 g drill grease

1x transport case provides space for 2 batteries and 1 battery charger (Battery and charger available separately


















Depth stop

CORDLESS HAMMER DRILL

- Powerful cordless hammer drill with 4-in-1 function: Drilling, hammer drilling, chiseling and chisel position adjustment
- Maintenance-free, particularly efficient brushless motor with longer run time and service life as well as low wear
- Cordless work with the Scheppach IXES 20 Volt series all batteries and chargers belonging to this system series can be combined with the cordless hammer drill
- Additional handle that can be rotated by 360° allows safe drilling and guidance of the tool
- · Powerful 2.2 J impact, up to 5500 bpm
- Depth stop made of robust metal for targeted drill holes that can be reproduced
- The SDS-Plus chuck allows tool-free switching of drills
- Central selection switch for quick changing between functions without the need for tools
- Ergonomic and compact design with soft-grip handle ensures comfortable operation
- Integrated LED work light with additional 10 seconds of light after switching off the drill ensures perfect lighting
- · Battery and charger available separately
- Includes additional handle and metal depth stop



• Longer battery life, thanks to lower power consumption

✓ Chiseling

√ Chisel orientation

Part of the battery platform

20 VIXES

ONE BATTERY FOR ALL DEVICES

SDS-Plus chuck LED Battery and charger Ergonomic and compact

Ergonomic and compact design with soft-grip handle ensures comfortable operation

SPECIFICATIONS

available separately

0. = 0.1. 10.110	
Dimensions L x W x H	200 x 200 x 80 mm
Motor type	Brushless motor
Impact force	2.2 J
Impact rating	5500 bpm
Max. idle speed	1400 rpm
Max. drill hole diameter	24 mm (concrete and stone), 13 (metal), 27 mm (timber)
Battery voltage	20 V

LOGISTICAL DATA

2.5 / 3.1 kg
355 x 250 x 105 mm
5909241900
4046664216858
2360 pcs
4980 pcs
5860 pcs



EXAMPLES OF USESUITABLE FOR

Workshop

Construction site

House

Garden



















PRODUCT DETAILS

Speed 0 - 1400 rpm



2.2 J impact 5500 bpm



SDS-Plus

SDS



20 V



LED work light



Brushless motor









CORDLESS HAND-HELD COMPRESSOR

- Compact, powerful, battery-operated hand-held compressor allows cordless freedom on-the-go – ideal for inflating bicycle tyres as well as toys and sporting equipment
- Cordless work with the Scheppach IXES 20 Volt series all batteries and chargers belonging to this system series can be combined with the cordless hand-held compressor
- Maximum 7 bar operating pressure
- LCD display shows the current as well as the pre-set operating pressure either in bar or PSI
- · Automatic shut-off when the specified pressure has been reached
- Ergonomic and compact design with soft-grip handle ensures comfortable operation
- Large diameter piston allows particularly quick inflation
- The LED light allows work even in adverse lighting conditions
- · Battery and charger available separately

 Includes 1x compressed air hose, 1x ball needle, 2x universal valve adapters, 1x valve adapter for Dunlop/Express valves, 1x valve adapter for Sclaverand valves



LOGISTICAL DATA

Weight net / gross	0.6 / 0.8 kg
Packaging dimensions	215 x 245 x 80 mm
Article number	5909247900
Barcode	4046664218593
20 Container	4400 pcs
40 Container	9300 pcs
40 HQ Container	10,950 pcs

Battery and charger available separately

LED

SPECIFICATIONS 1

Dimensions L x W x H	220 x 70 x 160 mm
Operating pressure max.	7 bar
Speed max.	3500 rpm
Battery voltage	20 V

NCLUDE



SUITABLE FOR

Bicycle tyres



Toys

Sporting equipment



PRODUCT DETAILS

Max. 7 bar operating pressure



LCD display



Automatic shut-off



Includes 6-piece accessories set



LED work light



20 V

















AIRFORCE 6



LOGISTICAL DATA	
Weight net / gross	2.3 / 2.5 kg
Packaging dimensions	365 x 153 x 223 mm
Article number	5906159901
EAN	4046664216803
20 Container	2268 pcs
40 Container	4662 pcs
40 HQ Container	5698 pcs

SPECIFICATIONS	
Dimensions L x W x H	292 x 147 x 212 mm
Max. working pressure	10.3 bar
Max. air output	21 L/min
AC cable length	1.8 m
DC cable length	3 m
Hose length	Compressed air hose 75 cm Air-release/high-volume/ low-pressure hose 44 cm
Battery voltage	20 V



SUITABLE FOR

Car tyres




Toys & sporting goods









HYBRID FUNCTION WITH 3 POWER SOURCES









Storage compartment

for valve adapter, ball needle, conical adapter





allows work even in adverse lighting conditions



PRODUCT DETAILS

10.3 bar maximum





Auto-Shut-Off

Transportable





Digital display

Low-maintenance







Part of the battery platform

CORDLESS COMPRESSOR · Powerful cordless compressor – ideal for mobile use and work around the house, workshop or garage • Cordless work with the Scheppach IXES 20 Volt series - all batteries

- and chargers belonging to this system series can be combined with the cordless compressor
- Tank capacity 6 litres
- Powerful 2x 20 V (40 V)
- Pressure regulator and 2 pressure gauges for perfect control of the operating pressure
- Quick-coupling for rapid tool replacement
- Maximum operating pressure 8 bar
- Oil-free compressor ensures a long, low-maintenance service life
- 130 L/min intake
- Vibration-absorbing rubber feet ensure non-slip positioning and quiet, low-vibration working



SPECIFICATIONS

410 x 333 x 325 mm
8 bar
6 L
130 L/min
2.5 m
96 dB (A)
Brushed motor
2x 20 V (40 V)

LOGISTICAL DATA	
Weight net / gross	10 / 12 kg
Packaging dimensions	440 x 365 x 375 mm
Article number	5906175900
Barcode	4046664247241
20 Container	504 pcs
40 Container	1032 pcs
40 HQ Container	1204 pcs

PRODUCT DETAILS

Max. 8 bar operating pressure



130 L/min Intake capacity



6 L Tank capacity



2x pressure gauges and 1x Pressure regulator





Oilfree





Incl. 11-piece accessories set and 2.5 m braided hose




2x 20 V (40 V)










Handle for easy transport



Vibration-absorbing rubber feet

for non-slip positioning and quiet, low-vibration working















CORDLESS WORK LIGHT

- · High-performance cordless work light, providing bright and even illumination of the work environment
- Practical 2-in-1 function flood light and front light
- Cordless work with the Scheppach IXES 20 Volt series all batteries and chargers belonging to this system series can be combined with the cordless work light
- Up to 300 lumen luminous flux
- Lamp head can be rotated 270° and adjusted 180° in 6 steps for perfect lighting
- Up to 16 hours of lighting
- Integrated hanging hook so the light can be hung up easily ideal for mobile use in the workshop, when camping or working on cars
- Ergonomic and compact design with soft-grip handle ensures comfortable
- · Battery and charger available separately



Up to approximately 16 hours of light

Integrated hanging hook

Battery and charger available separately

PRODUCT DATA	
--------------	--

PRODUCT DATA	
Dimensions L x W x H	269 x 108 x 110 mm
LED output	5 W
Luminous flux max.	300 lumen
Colour temperature	approx. 6200 K
Lighting duration 2.0 Ah / 4.0 Ah	8 h / 16 h
Battery voltage	20 V

LOGISTICAL DATA

Weight net / gross	0.39 / 0.53 kg
Packaging dimensions	110 x 75 x 185 mm
Article number	5909244900
Barcode	4046664217855
20 Container	11,512 pcs
40 Container	24,472 pcs
40 HQ Container	26,928 pcs
Barcode 20 Container 40 Container	4046664217855 11,512 pcs 24,472 pcs



SUITABLE FOR

Tools



Vehicle



House



PRODUCT DETAILS

270



0° – 180°



Lighting duration up to 16 h (4.0 Ah)



20 V



6200 K



Luminous flux max. 300 lm











Part of the battery platform

CORDLESS HAND-HELD VACUUM CLEANER

- Hand-held vacuum cleaner for mobile use, 10 kPa for fast and efficient cleaning even of more major dirt



SPECIFI	CATIONS
---------	---------


SPECIFICATIONS	
Dimensions L x W x H	415 x 115 x 135 mm
Suction capacity max.	10 kPa
Tank volume	560 ml
Battery voltage	20 V
Motor type	Brushed motor

LOGISTICAL DATA	
Weight net / gross	1.4 / 1.8 kg
Packaging dimensions	430 x 190 x 150 mm
Article number	5909251900
Barcode	4046664234371
20 Container	2130 pcs
40 Container	4320 pcs
40 HQ Container	5070 pcs



560 ml tank volume

Suction capacity 10 kPa





20 V

Compact design















recess for wall bracket



560 ml dust collector easy to empty





Wide range of accessories

Crevice nozzle, upholstery nozzle, floor nozzle, 3 plastic extension tubes















SPECIFICATIONS	
Dimensions L x W x H	310 x 290 x 400 mm
Suction capacity max.	10 kPa
Tank volume	12 L
Hose length	1.5 m
Particle size	min. 0.3 μm
Battery voltage	20 V
Motor type	Brushed motor

LOGISTICAL DATA	
Weight net / gross	3.2 / 4 kg
Packaging dimensions	300 x 300 x 400 mm
Article number	5907738900
Barcode	4046664234340
20 Container	985 pcs
40 Container	2100 pcs
40 HQ Container	2350 pcs



UNIVERSAL USE










working



SPECIFICATIONS	
Dimensions L x W x H	335 x 335 x 500 mm
Suction capacity max.	10 kPa
Tank volume	20 L
Hose length	1.5 m
Particle size	min. 0.3 μm
Battery voltage	20 V
Motor type	Brushed motor

LOGISTICAL DATA	
Weight net / gross	4.1 / 5.2 kg
Packaging dimensions	345 x 345 x 465 mm
Article number	5907739900
Barcode	4046664234357
20 Container	595 pcs
40 Container	1210 pcs
40 HQ Container	1225 pcs



















UNIVERSAL USE















SPECIFICATIONS	
Dimensions L x W x H	290 x 290 x 350 mm
Suction capacity max.	10 kPa
Tank volume	15 L
Hose length	100 cm
Particle size	min. 0.3 μm
Battery voltage	20 V
Motor type	Brushed motor

LOGISTICAL DATA	
Weight net / gross	2.4 / 3.4 kg
Packaging dimensions	300 x 300 x 370 mm
Article number	5906405900
Barcode	4046664234364
20 Container	1060 pcs
40 Container	2180 pcs
40 HQ Container	2515 pcs






PRODUCT DETAILS 15 L tank volume 20 V 1000 mm fireproof hose Compact design Suction capacity 10 kPa 100 kPa

















Garden Tools























Part of the battery platform

22 CM BATTERY LAWN MOWER



SPECIFICATIONS	
Dimensions L x W x H	1410 x 350 x 155 mm
Engine type	Brushless motor
Battery voltage	20 V
Cutting width max.	21.5 cm
Cutting heights	30 – 50 mm
Dock	Diactic

LOGISTICAL DATA	
Weight net / gross	4.4 / 5.5 kg
Packaging dimensions	520 x 370 x 210 mm
Article number	5911416900
Barcode	4046664236429
20 Container	600 pcs
40 Container	1200 pcs
40 HQ Container	1500 pcs





PRODUCT DETAILS





Cutting width





Cutting height

21.5 cm

Can be stored without needing much space



Brushless Motor











Shaft can be separated

for space-saving storage



Handle can be rotated

for easy mowing under bushes or garden furniture







SPECIFICATIONS	
Dimensions L x W x H	1110 x 380 x 1010 mm
Engine type	Brushless motor
Battery voltage	20 V
Cutting width max.	32 cm
Cutting heights	Axial, 20 – 60 mm
Deck	Plastic

30 L

available separately

Collection box capacity

LOGISTICAL DATA	
Weight net / gross	8.5 / 10.1 kg
Packaging dimensions	620 x 400 x 330 mm
Article number	5911413900
Barcode	4046664217572
20 Container	400 pcs
40 Container	800 pcs
40 HQ Container	950 pcs



EXAMPLES OF USE

SUITABLE FOR

Mowing







Grass at edge is drawn in for cutting











PRODUCT DETAILS

Lawn





Cutting width Cutting height







30 L collection box











38 CM BATTERY LAWN MOWER

- High-performance cordless lawn mower with a cutting width of 38 cm and 4-in-1 function: mowing, collecting, mulching, drawing in grass at the edge for cutting
- Maintenance-free, particularly efficient brushless motor with longer run time and service life as well as low wear
- Cordless work with the Scheppach IXES 20 Volt series all batteries and chargers belonging to this system series can be combined with the cordless lawn mower
- Suitable for gardens measuring 450 500 m²
- Powerful 2x 20 V (40 V)
- Adjustable 6-steps cutting height (25 75 mm)
- · Ergonomic comfort handle absorbs vibrations
- · Large 45 L collection box with filling level indicator
- · Robust housing with integrated carrying handle to ensure easy transport
- · Battery compartment with safety key and foldable protective hood
- Cut-to-edge design on both sides for clean mowing, even close to the edge where the grass is drawn in for cutting
- Polished blade made of special steel particularly robust and durable
- High-wheeler large wheels that are gentle on the lawn ensure a secure grip





- √ Mowing
- √ Collecting
- ✓ Mulching

Comfort grip handle

✓ Grass at edge is drawn in for cutting



SPECIFICATIONS

0. 200701.0	
Dimensions L x W x H	1178 x 432 x 1030 mm
Engine type	Brushless motor
Battery voltage	2x 20 V (40 V)
Cutting width max.	38 cm
Cutting heights	25 – 75 mm
Deck	Plastic
Collection box capacity	45 L

LOGISTICAL DATA	
Weight net / gross	13 / 17.9 kg
Packaging dimensions	725 x 430 x 375 mm
Article number	5911414900
Barcode	4046664217565
20 Container	258 pcs
40 Container	516 pcs
40 HQ Container	611 pcs



EXAMPLES OF USE

SUITABLE FOR

Mowing



Fangen



Mulching



Grass at edge is drawn in for cutting













Includes mulch



PRODUCT DETAILS

Lawn

2x 20 V (40 V)





Cutting width

Cutting height





45 L collection box









43 CM BATTERY LAWN MOWER

- High-performance cordless lawn mower with a cutting width of 43 cm and 4-in-1 function: mowing, collecting, mulching, drawing in grass at the edge for cutting
- Maintenance-free, particularly efficient brushless motor with longer run time and service life as well as low wear
- Cordless work with the Scheppach IXES 20 Volt series all batteries and chargers belonging to this system series can be combined with the cordless lawn mower
- Suitable for gardens measuring 600 700 m²
- Powerful 2x 20 V (40 V)
- Practical operating panel allows selection of "Eco" or "Auto" mode
- Eco mode low speed ensures maximum battery run time
- Auto mode the speed is adjusted to demand
- Adjustable 6-steps cutting height (25 75 mm)
- · Ergonomic comfort handle absorbs vibrations
- Large 50 L collection box with filling level indicator
- · Robust housing with integrated carrying handle to ensure easy transport
- · Battery compartment with safety key and foldable protective hood
- Cut-to-edge design on both sides for clean mowing, even close to the edge where the grass is drawn in for cutting
- Polished blade made of special steel particularly robust and durable
- **High-wheeler** large wheels that are gentle on the lawn ensure a secure grip even in steep terrain



Product features

Comfort grip

handle

BRUSHLESS MOTOR

- · Maintenance-free, brushless motor technology
- · Service life up to 10 times longer
- · Lower thermal motor load
- Maximum efficiency, thanks to ideal power transfer
- Longer battery life, thanks to lower power consumption



- √ Mowing
- √ Collecting
- √ Mulching



SPECIFICATIONS

SPECIFICATIONS	
Dimensions L x W x H	1350 x 470 x 1150 mm
Engine type	Brushless motor
Battery voltage	2x 20 V (40 V)
Cutting width max.	43 cm
Cutting heights	25 – 75 mm
Deck	Plastic
Collection box capacity	50 L

LOGISTICAL DATA

=00101107(= D7(17)	
Weight net / gross	14.4 / 16.7 kg
Packaging dimensions	805 x 470 x 385 mm
Article number	5911415900
Barcode	4046664217558
20 Container	210 pcs
40 Container	420 pcs
40 HQ Container	504 pcs



EXAMPLES OF USE

SUITABLE FOR

Mowing



Collecting



Mulching



Grass at edge is drawn in for cutting













PRODUCT DETAILS

Lawn







Cutting width

Cutting height





50 L collection box









Height-adjustable bow handle ensures an ergonomic working posture

Part of the battery platform

47 CM BATTERY LAWN MOWER

- High-performance cordless lawn mower with a cutting width of 47 cm, suitable for gardens measuring 800 – 900 m²
- Maintenance-free, particularly efficient brushless motor with longer run time and service life as well as low wear
- Cordless work with the Scheppach IXES 20 Volt series all batteries and chargers belonging to this system series can be combined with the cordless



PRODUKTDATEN

TRODUKTOATEN	
Dimensions L x W x H	1650 x 560 x 1100 mm
Engine type	Brushless Motor
Battery voltage	2x 20V (40V) + 2x battery extension
Cutting width max.	47 cm
Cutting heights	26 – 80 mm
Deck	Plastic
Collection box capacity	75 L
Vario speed	2.5 – 4.5 km/h

LOGISTICAL DATA	
Weight net / gross	31 / 34 kg
Packaging dimensions	930 x 580 x 460 mm
Article number	5911417900
Barcode	4046664235101
20 Container	105 pcs
40 Container	220 pcs
40 HQ Container	260 pcs



EXAMPLES OF USE

SUITABLE FOR





Collecting



Mulching









PRODUCT DETAILS





Includes mulch insert

so the cut grass can be re-used as fertiliser










Cutting height and width



Vario speed



2.5 - 4.5 km/h

75 L collection box



Brushless Motor



Side discharge can be easily attached/ detached if needed



20 CM CORDLESS CHAINSAW

- Powerful cordless chain saw for cutting firewood, pruning shrubs, branch trimming or garden care
- Maintenance-free, particularly efficient brushless motor with longer run time and service life as well as low wear
- Cordless work with the Scheppach IXES 20 Volt series all batteries and chargers belonging to this system series can be combined with the cordless chainsaw
- 7 m/s cutting speed ensures rapid sawing progress
- Premium-quality 8"/20 cm ProCut blade and chain, 17.5 cm cutting length
- Tool-free chain replacement and chain tensioning
- Circumferential handle with soft-grip allows ergonomic work and many uses

Extensive hand protection

- Anti-kickback chain brake stops the chain within just a few milliseconds in cases of kickback
- Robust metal claw stop protects the material to be cut from slipping
- Automatic chain lubrication
- Battery and charger available separately

Part of the battery platform

*This chain saw has been exclusively designed for use by trained arborists



SPECIFICATIONS

Dimensions L x W x H	540 x 230 x 230 mm
Chain bar length	20 cm / 8"
Cutting length	17.5 cm
Cutting speed	7 m/sec
Chain tension adjustment	Tool-free
Chain brake	Yes
Oil tank capacity	0.11 L
Engine type	Brushless motor
Battery voltage	20 V

LUGISTICAL DATA	
Weight net / gross	2.5 / 3.3 kg
Packaging dimensions	270 x 230 x 230 mm
Article number	5910311900
Barcode	4046664233879
20 Container	2000 ncs

4000 pcs

4780 pcs

Batteries and chargers from page 136

LOCISTICAL DATA

40 Container 40 HQ Container



EXAMPLES OF USE SUITABLE FOR

Bushes

Branches













On/off switch guarantees additional safety



PRODUCT DETAILS

Max. cutting diameter 17.5 cm Cutting speed 7 m/s





20 V

8" blade & chain





Circumferential handle

Auto lubrication system







Part of the battery platform

25,4 CM CORDLESS CHAINSAW

- Powerful cordless chain saw for cutting firewood, pruning shrubs, branch trimming or garden care
- Cordless work with the Scheppach IXES 20 Volt series all batteries and chargers belonging to this system series can be combined with the cordless




SPECIFICATIONS

Dimensions L x W x H	653 x 220 x 224 mm
Chain bar length	10" / 25.4 cm
Cutting length	20 cm
Cutting speed	6 m/sec
Chain tension adjustment	werkzeuglos
Chain brake	Yes
Oil tank capacity	0.125 L
Engine type	Brush motor
Battery voltage	20 V

LOGISTICAL DATA

x 230 mm
00
16902







Max. cutting diameter 20 cm



Cutting speed 6 m/s



20 V

10" ProCut blade & chain





Circumferential handle

Auto lubrication system







Soft-grip

allows a secure and firm hold during operation







35,6 CM CORDLESS CHAINSAW

- Powerful cordless chain saw for cutting firewood, pruning shrubs, branch trimming or garden care
- Maintenance-free, particularly efficient brushless motor with longer run time and service life as well as low wear
- Cordless work with the Scheppach IXES 20 Volt series all batteries and chargers belonging to this system series can be combined with the cordless
- 15 m/s cutting speed ensures rapid sawing progress
- Premium-quality 14" / 35.6 cm ProCut blade and chain, 33.5 cm cutting length
- Powerful 2x 20 V (40 V)
- · Tool-free chain replacement and chain tensioning
- Circumferential handle with soft-grip allows ergonomic work and many uses
- Anti-kickback the chain brake stops the saw chain within milliseconds in
- 2-hand safety switch ensures the immediate braking of the chain in less than 0.12 sec.
- Soft-start is gentle on the motor and ensures a smooth start-up of the chain
- Robust metal claw stop protects the material to be cut from slipping
- Automatic chain lubrication, integrated protection against overload and oil level display

· Battery and charger available separately



Scheppach BCHS350-ProS DUO Premium Class 1,6 Heimwerker Value for money: good - very good

Best Buy Heimwerker

Scheppach cordless chainsaw BC-CS355Duo-X Identical with BCHS350-ProS DUO Category: Cordless chainsaw

14" ProCut blade

& chain



placement and chain

SOFT

Battery and charger available separately

SPECIFICATIONS

power consumption

power transfer

Maximum efficiency, thanks to ideal


· Longer battery life, thanks to lower

3F LOII IOATIONS	
Dimensions L x W x H	800 x 220 x 235 mm
Chain bar length	35.6 cm / 14"
Cutting length	33.5 cm
Cutting speed	15 m/sec
Chain tension adjustment	Tool-free
Chain brake	Yes
Oil tank capacity	0.26 L
Engine type	Brushless motor
Battery voltage	2x 20 V (40 V)

LOGISTICAL DATA

LUGISTICAL DATA	
Weight net / gross	3.3 / 5 kg
Packaging dimensions	480 x 240 x 240 mm
Article number	5910309900
Barcode	4046664216889
20 Container	1080 pcs
40 Container	2250 pcs
40 HQ Container	2475 pcs











CORDLESS PRUNING SAW

- Compact and lightweight pruning saw for cutting trees and shrubs as well as reducing green waste to small pieces
- \bullet Also suitable for cutting planks, square and round timber as well as for DIY
- Cordless work with the Scheppach IXES 20 Volt series all batteries and chargers belonging to this system series can be combined with the cordless pruning saw
- Large 5" ProCut blade & chain
- Cutting speed of up to 4.8 m/s ensures rapid progress
- The compact design allows work in areas that are hard to access
- Smooth chain, low in vibrations
- 127 mm maximum cutting thickness
- Soft-grip handle with safety switch
- Hand protection and chain guard for secure handling of the device
- Chain tension adjustment
- Practical storage of the oil bottle on the device
- · Battery and charger available separately

5" blade & chain




SPECIFICATIONS

OI LOII IO/XIIO	110		
Dimensions L x W	хН	385 x 85 x 180 mm	
Cutting speed max	(.	4.8 m/s	
Cutting length max	х.	127 mm	
Chain pitch		0,3"	
Chain bar length		5"	
Chain tension adju	ıstment	Yes	
Battery voltage		20 V	
Engine type		Brushless motor	

adjustment

LOGISTICAL DATA	
Weight net / gross	1.03 / 1.65 kg
Packaging dimensions	400 x 90 x 185 mm
Article number	5904204900
Barcode	4046664246091
20 Container	3252 pcs
40 Container	6504 pcs
40 HQ Container	7898 pcs


available separately



UNIVERSAL USE















PRODUCT DETAILS 20 V Cutting length max. 127 mm Cutting speed 4.8 m/s Chain pitch: 1/4"






CORDLESS PRUNING SAW

- Compact and lightweight pruning saw for cutting trees and shrubs as well as reducing green waste to small pieces
- Also suitable for cutting planks, square and round timber as well as for DIY projects
- Maintenance-free, particularly efficient brushless motor with longer run time and service life as well as low wear
- Cordless work with the Scheppach IXES 20 Volt series all batteries and chargers belonging to this system series can be combined with the cordless
- · Large 6" ProCut blade & chain
- Cutting speed of up to 6.8 m/s ensures rapid progress
- The compact design allows work in areas that are hard to access
- · Smooth chain, low in vibrations
- 150 mm maximum cutting thickness
- · Soft-grip handle with safety switch
- Automatic chain lubrication for uninterrupted work
- Hand protection and chain guard for secure handling of the device
- · Chain tension adjustment
- · Battery and charger available separately

Soft-grip handle with

safety switch



CDECIFICATIONS

transfer

consumption

SPECIFICATIONS	
Dimensions L x W x H	425 x 110 x 170 mm
Reserve for chain lubricant	30 cm ³ (30 ml)
Cutting speed max.	6.8 m/s
Cutting length max.	150 mm
Chain pitch	1/4"
Chain bar length	6"
Chain tension adjustment	Yes
Battery voltage	20 V
Engine type	Brushless motor

Product features

BRUSHLESS MOTOR

· Maintenance-free, brushless motor technology

Maximum efficiency, thanks to ideal power

Longer battery life, thanks to lower power

· Service life up to 10 times longer


· Lower thermal motor load

LOGISTICAL DATA Weight net / gross 1.3 / 2.1 kg Packaging dimensions 440 x 230 x 120 mm Article number 5910310900 Barcode 4046664216926 20 Container 1900 pcs 40 Container 3800 pcs 40 HQ Container 4900 pcs


Battery and charger available separately


102 Batteries and chargers from page 136

protection















Quick and easy automatic chain

tensioning using a

spring compressor


CORDLESS GRASS AND HEDGE TRIMMER



|--|

Dimensions L x W x H 260 x 80 x 120 mm Cutting width (grass cutting blades) 90 mm Cutting length (shrub cutting blades) 200 mm Idle speed 1200 rpm Battery voltage 20 V Engine type **Brush motor**

LOGISTICAL DATA		
Weight net / gross	1 / 1.5 kg	
Packaging dimensions	360 x 120 x 120 mm	
Article number	5912205900	
Barcode	4046664216872	
20 Container	4860 pcs	
40 Container	10,260 pcs	
40 HQ Container	11,400 pcs	





PRODUCT DETAILS

Shrub cutting blades: 200 mm cutting length





Grass cutting blades: 90 mm width

Hardened precision blades





UNIVERSAL USE











CORDLESS PRUNING SHEARS

- Practical cordless pruning shears for reliable cutting of branches with a maximum thickness of 28 mm – e.g. for fruit tree pruning, hedge trimming or other work
- Maintenance-free, particularly efficient brushless motor with longer run time and service life as well as low wear
- Cordless work with the Scheppach IXES 20 Volt series all batteries and chargers belonging to this system series can be combined with the Cordless pruning shears
- Premium-quality anvil steel blades for precise cutting work that is gentle on plants
- 2 adjustable cutting diameters of 15 mm & 28 mm
- Ergonomic and compact design with soft-grip handle ensures comfortable operation
- Front hand guard and automatic deactivation after 3 minutes ensure maximum safety during working
- · Robust and durable plastic housing
- Low weight and compact design
- · Battery and charger available separately



Soft-grip Inandie

Hand protection

SPECI	FICATIONS
-------	------------------

	OI LOII TOATTONO		
	Dimensions L x W x H	335 x 230 x 126 mm	
	Cutting capacity	max. 28 mm	
	6-steps	15 mm & 28 mm	
	Battery voltage	20 V	
	Motor type	Brushless motor	

 LOGISTICAL DATA

 Weight net / gross
 0.9 / 1.2 kg

 Packaging dimensions
 330 x 120 x 140 mm

 Article number
 5911606900

 Barcode
 4046664243502

 20 Container
 5747 pcs

 40 Container
 11700 pcs

 40 HQ Container
 13957 pcs

Battery and charger available separately



EXAMPLES OF USE SUITABLE FOR

Bushes

Branches









PRODUCT DETAILS

20 V



Cutting capacity max. 28 mm



Low weight













CDE	CIE	CAT	ONS

or Edit Idaniono	
Dimensions L x W x H	1235 x 335 x 356 mm
Motor-Type	Brush motor
Battery voltage	20 V
Cutting width max.	300 mm
Thread length	3 m
Height adjustment	Up to 270 mm
Angle adjustment	0° – 90°
Cutting head	Rotating

LOGISTICAL DATA	
Weight net / gross	2.2 / 3 kg
Packaging dimensions	1020 x 200 x 140 mm
Article number	5910904900
Barcode	4046664216735
20 Container	1000 pcs
40 Container	2000 pcs
40 HQ Container	2300 pcs



EXAMPLES OF USE SUITABLE FOR

Weeds






UNIVERSAL USE















Fold-out plant protection bracket protects flowers, plants etc. from damage

PRODUCT DETAILS

Cutting width max. 300 mm





20 V

Telescopic shaft

Automatic line feed





Telescopic shaft can be adapted to the user's body height – can be steplessly adjusted in length up to 270 mm.











- ✓ Grass trimmer
- ✓ Brush cutter






Product features BRUSHLESS MOTOR

- · Maintenance-free, brushless motor technology
- Service life up to 10 times longer
- Lower thermal motor load
- Maximum efficiency, thanks to ideal power transfer
- Longer battery life, thanks to lower power consumption

CORDLESS BRUSH CUTTER

- Powerful cordless brush cutter grass trimmer and line trimmer in one
- Maintenance-free, particularly efficient brushless motor with longer run time and service life as well as low wear
- Cordless work with the Scheppach IXES 20 Volt series all batteries and chargers belonging to this system series can be combined with the cordless brush cutter
- Cutting width grass trimmer 330 mm / Cutting width brush cutter 255 mm
- Easy replacement of the cutting equipment, thanks to spindle lock
- Premium-quality 3-toothed line trimmer for particularly dense undergrowth
- Anti-vibration technology allows ergonomic work with low vibrations
- 3 speed levels for the perfect adjustment to local conditions 4000 / 4750 / 5500 mm.
- Dual-line coil with touch control and 1.6 mm line extension (Tap'n'Go function)
- Easy tool-free assembly/disassembly for space-saving storage
- Adjustable bike handle with two-hand operation and non-slip surface allows ergonomic, extended working
- Battery and charger available separately

TAP'N'GO



Tip automatic spool



SPECIFICATIONS

01 2011 107 111 011 0	
Dimensions L x W x H	1780 x 350 x 245 mm
Engine type	Brushless motor
Battery voltage	20 V
Cutting width (line head)	max. 330 mm
Thread grass trimmer	4 m / 1.6 mm
Line feed	Tip automatic
Cutting width (blade)	max. 255 mm

LOGISTICAL DATA

Weight net / gross	4.5 / 6 kg
Packaging dimensions	1020 x 135 x 230 mm
Article number	5910906900
Barcode	4046664233893
20 Container	900 pcs
40 Container	1800 pcs
40 HQ Container	2200 pcs
40 HQ Container	2200 pcs



EXAMPLES OF USESUITABLE FOR

Weeds

Gras





UNIVERSAL USE



Operating panel for setting the speed in 3 steps



PRODUCT DETAILS

Cutting width brush cutter max. 330 mm





1.6 mm Nylon double line





3 stage

20 V



Brushless motor







✓ Grass trimmer

TAP'N'GO

✓ Brush cutter

Product features BRUSHLESS MOTOR

- · Maintenance-free, brushless motor technology
- Service life up to 10 times longer

Part of the battery platform

- Lower thermal motor load
- Maximum efficiency, thanks to ideal power transfer
- Longer battery life, thanks to lower power consumption

CORDLESS BRUSH CUTTER

- Powerful cordless brush cutter grass trimmer and line trimmer in one
- Maintenance-free, particularly efficient brushless motor with longer run time and service life as well as low wear
- Cordless work with the Scheppach IXES 20 Volt series all batteries and chargers belonging to this system series can be combined with the cordless brush cutter
- Kraftvolle 2x 20 V (40 V)
- Cutting width grass trimmer 380 mm / Cutting width brush cutter 255 mm
- Easy replacement of the cutting equipment, thanks to spindle lock
- Premium-quality 3-toothed line trimmer for particularly dense undergrowth
- Anti-vibration technology allows ergonomic work with low vibrations
- 3 speed levels for the perfect adjustment to local conditions 4000 / 5000 / 6200 rpm
- Dual-line coil with touch control and 1.6 mm line extension (Tap'n'Go function)
- Easy tool-free assembly/disassembly for space-saving storage
- Adjustable bike handle with two-hand operation and non-slip surface allows ergonomic, extended working
- · Battery and charger available separately



SPECIFICATIONS

Dimensions L x W x H	1920 x 550 x 490 mm
Engine type	Brushless motor
Battery voltage	2x 20 V (40 V)
Cutting width (line head)	max. 380 mm
Thread grass trimmer	4 m / 1.6 mm
Line feed	Tip automatic
Cutting width (blade)	max. 255 mm

LOGISTICAL DATA

Weight net / gross	5.5 / 7 kg
Packaging dimensions	1120 x 160 x 230 mm
Article number	5910907900
Barcode	4046664233909
20 Container	900 pcs
40 Container	1800 pcs
40 HQ Container	2200 pcs



EXAMPLES OF USESUITABLE FOR

Weeds

Gras





UNIVERSAL USE





PRODUCT DETAILS

Cutting width brush cutter max. 380 mm



Cutting width grass trimmer

1.6 mm Nylon double line





2x 20 V (40 V)



Brushless motor







Pole-m	ounted pruner		
Cutting length	180 mm		
Cutting speed	max. 4.5 m/s	LOGISTICAL DATA	
Pole-mounted pruner length	2.35 m	Weight net / gross	4.85 / 5.9 kg
Hed	ge trimmer	Packaging dimensions	1235 x 142 x 145 mm
Cutting length	410 mm	Article number	5912404900
Branch diameter	max. 16 mm	Barcode	4046664217602
Blade length	203 mm	20 Container	982 pcs
Cutting speed	1200 rpm	40 Container	2105 pcs
Hedge trimmer length	2.6 m	40 HQ Container	2524 pcs



allows fatigue-free work

Pole-mounted pruner with 180 mm cutting length Cutting speed Pole-mounted pruner max. 4.5 m/s 20 V Steplessly lockable



BRANCH TRIMMING

BC-MFH400-X

CORDLESS MULTIFUNCTION DEVIC

- Adaptable cordless multi-function device combines 4 functions in one tool: grass trimmer, brush cutter, hedge trimmer, pole-mounted pruner
- Maintenance-free, particularly efficient brushless motor with longer run time and service life as well as low wear
- Cordless work with the Scheppach IXES 20 Volt series all batteries and chargers belonging to this system series can be combined with the cordless multi-function device
- Powerful 2x 20 V (40 V)
- Grass trimmer: 1.6 mm dual nylon line, touch control, 380 mm working width
- Brush cutter: 3-toothed blade made of special steel, 255 mm working width
- Hedge trimmer: 390 mm cutting length, angle adjustment in 11 steps, 24 mm maximum branch diameter, durable quality blade made of laser-cut steel
- Pole-mounted pruner: 254 cutting length, max. 18 m/s cutting speed, 3 cutting speed levels: 1st gear – 12 m/s, 2nd gear – 15 m/s, 3rd gear – 18 m/s
- Automatic chain lubrication, ProCut blade & chain
- Tool-free replacement of individual attachments
- Easy speed adjustment using the operating panel to suit the work
- Shoulder strap with quick-release function to allow extended and fatigue-free work
- · Battery and charger available separately



Grass trimmer

& chain

SPECIFICATIONS

SPECIFICATIONS		
Battery voltage	2x 20 V (40 V)	
Motor type	Brushless motor	
Grass trimmer		
Nylon line	1.6 mm	
Working width	380 mm	
Dimensions L x W x H	1940 x 480 x 230 mm	
Brush cutter		
Working width	255 mm	
Dimensions L x W x H	1940 x 480 x 230 mm	
Hedge trimmer		
Cutting length	390 mm	
Branch diameter	max. 24 mm	
Dimensions L x W x H	2380 x 330 x 200 mm	
Pole-mounted pruner		
Cutting length	254 mm	
Cutting speed	max. 18 m/s	
Dimensions L x W x H	2170 x 130 x 200 mm	



LOGISTICAL DATA	
Weight net / gross	9.2 / 11 kg
Packaging dimensions	1120 x 260 x 260 mm
Article number	5904820900
Barcode	4046664216865
20 Container	630 pcs
40 Container	1260 pcs
40 HQ Container	1500 pcs

116

Product features

√ Grass trimmer

√ Hedge trimmer

√ Brush cutter √ Pole-mounted pruner

BRUSHLESS MOTOR

· Maintenance-free, brushless motor technology

Maximum efficiency, thanks to ideal power

· Longer battery life, thanks to lower power

· Service life up to 10 times longer

Lower thermal motor load

consumption



EXAMPLES OF USE

SUITABLE FOR







Grass

Weeds















3 steps

Operating panel for speed adjustment in




PRODUCT DETAILS

2x 20 V (40 V)



Pole-mounted pruner with 254 mm cutting length



Hedge trimmer with 390 mm cutting length



Grass trimmer with 380 mm working width



Brush cutter with max. 255 mm working width



Brushless motor





Tool-free replacement of individual attachments



Shoulder strap

allows fatigue-free work

UNIVERSAL USE












SPECIFICATIONS	
Dimensions L x W x H	930 x 200 x 160 mm
Bar length	560 mm
Cutting length	510 mm
Schnittstärke max.	16 mm
Cutting speed	2400 rpm
Battery voltage	20 V
Motor type	Brush motor

LOGISTICAL DATA	
Weight net / gross	2.1 / 2.45 kg
Packaging dimensions	1170 x 275 x 245 mm
Article number	5910607900
Barcode	4046664217503
20 Container	1216 pcs
40 Container	2432 pcs
40 HQ Container	2952 pcs







BATTERY-POWERED HEDGE TRIMMER

- Powerful cordless hedge trimmer for easy, reliable cutting of hedges and
- Maintenance-free, particularly efficient brushless motor with longer run time and service life as well as low wear
- Cordless work with the Scheppach IXES 20 Volt series all batteries and chargers belonging to this system series can be combined with the Akku-Heckenschere
- High-performance 720 mm blade with 2700 cuts per minute and a cutting length of 650 mm
- Suitable for a maximum branch diameter of 30 mm
- Powerful 2x 20 V (40 V)



- · Maintenance-free, brushless motor technology
- · Service life up to 10 times longer
- · Lower thermal motor load
- · Maximum efficiency, thanks to ideal power
- · Longer battery life, thanks to lower power consumption



SPECIFICATIONS

0. 200701.0	
Dimensions L x W x H	1220 x 224 x 218 mm
Bar length	720 mm
Cutting length	650 mm
Cutting capacity max.	30 mm
Cutting speed	2700 rpm
Battery voltage	2x 20 V (40 V)
Motor type	Brushless motor

LOGISTICAL DATA	
Weight net / gross	4.0 / 5.4 kg
Packaging dimensions	1245 x 235 x 230/190 mm
Article number	5910606900
Barcode	4046664217220
20 Container	592 pcs
40 Container	1330 pcs
40 HQ Container	1500 pcs



EXAMPLES OF USESUITABLE FOR

Shrubs

Bushes

Hedges











Cutting length 650 mm



Cutting capacity 30 mm



Handle can be rotated from -90° / 0° / +90°



Hand guard for maximum safety



Cutting speed 2700 rpm



2x 20 V (40 V)









guarantees maximum safety during operation





SPECIFICATIONS	
	4070 00 405
Dimensions L x W x H	1970 x 80 x 135 mm
Battery voltage	20 V
Motor type	Brush motor
Cutting length	410 mm
Branch diameter	max. 16 mm
Cutting speed	1200 rpm
Hedge trimmer length	2.6 m

LOGISTICAL DATA	
Weight net / gross	2.95 / 3.7 kg
Packaging dimensions	1250 x 142 x 145 mm
Article number	5910608900
Barcode	4046664239147
20 Container	612 pcs
40 Container	1340 pcs
40 HQ Container	1552 pcs



C-BL700-X






2 air speeds **Compact design** Pipe mounting with quick-release **Axial fan ADVANTAGES OF AN AXIAL FAN** √ Higher air flow rate √ Simple and durable design **Battery and charger** √ Compact design available separately

SPECIFICATIONS	
Dimensions L x W x H	1260 x 550 x 370 mm
Engine type	Brush motor
Air power	1st gear: 390 m³/h 2nd gear: 516 m³/h
Air speed	1st gear: 115 km/h 2nd gear: 155 km/h
Battery voltage	20 V

LOGISTICAL DATA	
Weight net / gross	1.8 / 2.4 kg
Packaging dimensions	450 x 260 x 150 mm
Article number	5912104900
Barcode	4046664216827
20 Container	1072 pcs
40 Container	2260 pcs
40 HQ Container	2640 pcs







Pipe mounting with quick-release

fastener ensures easy attachment and space-saving storage



The compact design ensures a high level of user comfort and easy handling

Soft-grip balance handle



Axial fan ensures a higher air flow rate



Air speed max.



Air power max.



1. 390 m³/h 2. 516 m³/h

20 V



Ultra lightweight



Axial fan

Quick-release fastener











BC-BLV720-X



Product features

BRUSHLESS MOTOR

- · Maintenance-free, brushless motor technology
- · Service life up to 10 times longer
- · Lower thermal motor load
- Maximum efficiency, thanks to ideal power
- · Longer battery life, thanks to lower power consumption

adjustable handle

Additional

Ergonomic

handle

Large 45 litre collecting bag

with window

BATTERY LEAF VACUUM/BLOWER

- Powerful cordless leaf blower with 4-in-1 function: vacuuming, blowing and shredding function, plus integrated collecting bag
- Maintenance-free, particularly efficient brushless motor with longer run time and service life as well as low wear
- Cordless work with the Scheppach IXES 20 Volt series all batteries and chargers belonging to this system series can be combined with the cordless leaf vac/blower
- Powerful 2x 20 V (40 V)
- Tool-free speed adjustment from 9,000 to 14,000 rpm using a setting wheel $-\,$ for the perfect adjustment to requirements
- \bullet High air speed of 210 km/h and an air flow rate of 720 m^3/h
- Large 45 litre collecting bag with window to check on capacity
- 10:1 mulch ratio reduces garden waste to easy-to-handle mulch
- No tools required when switching from blowing to vacuuming / shredding mode
- The additional adjustable handle and a carrying strap allow an ergonomic working posture
- Large guide wheels ensure easy handling
- Ergonomic handle with non-slip soft-grip surface
- · Battery and charger available separately



√ Vacuum function

√ Blower function

√ Mulching function

> Integrated collecting bag

INCLUDED

Large guide wheels

Part of the battery platform ATTERY FOR ALL DEVICES



Battery and charger available separately

SPECIFICATIONS

SPECIFICATIONS	
Dimensions L x W x H	1430 x 330 x 440 mm
Engine type	Brushless motor
Air flow rate	720 m³/h
Air speed max.	210 km/h
Battery voltage	2x 20 V (40 V)
Mulch ratio	10:1

LOGISTICAL DATA	
Weight net / gross	3.8 / 4.8 kg
Packaging dimensions	370 x 305 x 445 mm
Article number	5912105900
Barcode	4046664216919
20 Container	590 pcs
40 Container	1190 pcs
40 HQ Container	1396 pcs



EXAMPLES OF USE

4-IN-1 FUNCTION

Vacuum



Blow



Shred





Collect



Air speed max.



Air power max.



720 m³/h

45L Collection bag size



Mulch ratio 10:1



Brushless motor

2x 20 V (40 V)











The additional adjustable handle and a carrying strap allow an ergonomic working

posture






SPECIFICATIO	NS
---------------------	----

Dimensions L x W x H	290 x 220 x 280 mm
Spreading width	max. 5 m
Capacity	3.5 L
Speed	1000 – 2200 rpm
Area output	800 m ²
Battery voltage	20 V
Engine type	Brush motor

LOGISTICAL DATA	
Weight net / gross	1.1 / 1.7 kg
Packaging dimensions	295 x 235 x 310 mm
Article number	5911502900
Barcode	4046664216940
20 Container	1330 pcs
40 Container	2800 pcs
40 HQ Container	3360 pcs















PRODUCT DETAILS

Spreading width





Area output

800 m²

Soft-grip

Capacity 3.5 litres





Speed 1000 – 2200 rpm











CORDLESS EARTH AUGER Part of the battery platform • Powerful earth auger, 125 rpm, for drilling of fence post, foundation or plant • Maintenance-free, particularly efficient brushless motor with longer run time and service life as well as low wear • Cordless work with the Scheppach IXES 20 Volt series – all batteries and chargers belonging to this system series can be combined with the cordless earth auger • Rapid, tool-free auger replacementl • 100 mm auger diameter, 800 mm length • 3 operating modes – Eco, Power Mode, Anti-clockwise Operation • Dual handle with soft-grip allows ergonomic work and many uses • Battery and charger available separately **Dual handle** with soft-grip Drill speed 125/min Quick and easy drill bit change BOILLING LENGTH Product features

SPECIFICATIONS	
Dimensions L x W x H	1100 x 200 x 400 mm
Drilling speed	125 rpm
Auger diameter	100 mm
Auger length	800 mm
Engine type	Brushless motor
Battery voltage	20 V

Battery and charger

available separately

LOGISTICAL DATA	
Weight net / gross	3.4 / 5.8 kg
Packaging dimensions	890 x 397 x 202 / 115 mm
Article number	5904705900
Barcode	4046664235309
20 Container	750 pcs
40 Container	1500 pcs
40 HQ Container	1800 pcs

power transfer

power consumption

BRUSHLESS MOTOR · Maintenance-free, brushless motor • Service life up to 10 times longer Lower thermal motor load

• Maximum efficiency, thanks to ideal

· Longer battery life, thanks to lower











PRODUCT DETAILS

100 mm Auger diameter



800 mm Auger length



20 V

Speed 125 rpm





3 operating modes

Brushless motor





Metal frame







Dual handle with soft-grip allows ergonomic working

Part of the battery platform

CORDLESS SWEEPER

- Extensive cleaning, thanks to 610 mm working width and 2000 m²/h area
- chargers belonging to this system series can be combined with the cordless

- enable rapid progress



PRODUKTDATEN

TRODUKTOATEN	
Dimensions L x B x H	990 x 610 x 1060 mm
Motor type	Brush motor
Battery voltage	20 V
Sweeping width	610 mm
Waste container	20 L
Brushes	Ø 325 mm
Brush speed	220 rpm
Cleaning capacity (4,0 Ah)	2000 m ²

LOG	ISTI	CA	L	DA ⁻	ΓA
Weigh	t net	/ gr	oss	5	

10.2 / 12.2 kg Packaging dimensions 690 x 520 x 310 mm Article number 5908705900 Barcode 4046664235118 20 Container 345 pcs 40 Container 720 pcs 40 HQ Container 840 pcs











Pavement



PRODUCT DETAILS

Sweeping width



Cleaning area (4,0 Ah)



Waste container size



2 disc brushes Ø 325 mm





3 brush speeds



Soft-profile wheels










Brushes positioned on the sides





Brush speed can be adjusted in 3 steps 160/190/220 rpm











20 L on-board waste container



		0110111		014/
MADINI	L C. C.		DI	
CORDI		-3/46/00	\mathbf{n}	UVVER

- High-performance cordless snow blower the perfect accessory during the winter to free your drive, yard or paths from snow
- Maintenance-free, particularly efficient brushless motor with longer run
- Cordless working with the Scheppach IXES 20-volt series all batteries and chargers belonging to this system series can be combined with the
- Adjustable ejection direction: left right straight ahead
- Speed adjustment in 6 steps depending on the depth and properties of the snow
- 2-part safety switch prevents accidental activation
- Battery cover with magnetic closure protects from snow and moisture
- Ergonomic handle with non-slip soft-grip surface



- · Maintenance-free, brushless motor technology
- · Service life up to 10 times longer
- Lower thermal motor load
- · Maximum efficiency, thanks to ideal power
- · Longer battery life, thanks to lower power consumption

Carrying handle allows easy transport

> **Battery and charger** available separately

SPECIFICATIONS	
Working width	400 mm
Max. intake height	200 mm
Discharge range max.	6000 mm
Speed regulation	6-step
Battery voltage	2x 20 V (40 V)
Motor type	Brushless motor

LOGISTICAL DATA	
Weight net / gross	6.5 / 7.5 kg
Packaging dimensions	580 x 320 x 400 mm
Article number	5908106900
Barcode	4046664218005
20 Container	360 pcs
40 Container	730 pcs
40 HQ Container	860 pcs



EXAMPLES OF USE

SUITABLE FOR

Patios





Yards

Drives



Pavement





BATTERY

- Powerful 20 V / 2.0 Ah (SBP2.0) or 20 V / 4.0 Ah (SBP4.0) Lithium-ion battery
- Universal use one battery for the entire Scheppach IXES 20 Volt series
- The remaining battery capacity can be read conveniently on the 3-level LED display
- Individual cell management protects from overheating as well as excess voltage and ensures uniform charging and discharging of the cells
- Extended battery life and run time, thanks to the minimised risk of excessive charging and deep discharge
- Work protecting resources by using just one battery system
- Charging time approx. 35 to 60 mins (SBP2.0) / 60 to 120 mins (SBP4.0) (depending on charger)
- Low weight ensures comfortable operation
- · High impact resistance and pleasant haptics, thanks to rubberised housing
- · Housing protected from dust and corrosion

PRODUCT DETAILS

Charging time approx. 35 – 60 mins (SBP2.0) approx. 60 – 120 mins (SBP4.0)



Long service life



LED indicator light



20 V





SPECIFICATIONS		
	SBP2.0	SBP4.0
Dimensions L x W x H	125 x 80 x 50 mm	125 x 80 x 70 mm
Battery capacity	2.0 Ah	4.0 Ah
Battery tension	20 V ====	20 V ====

LOGISTICAL DATA		
	SBP2.0	SBP4.0
Weight net / gross	0.4 / 0.5 kg	0.7 / 0.8 kg
Packaging dimensions	138 x 85 x 62 mm	140 x 85 x 82 mm
Article number	7909201708	7909201709
Barcode	4014915236481	4014915236504
20 Container	20,700 pcs	16,260 pcs

CHARGER / TWINCHARGER

- Compact 2.4 A charger for Li-ion batteries (SBC2.4A) / 2.4 A dual charger for charging two Li-ion batteries at the same time – even with different capacities (SDBC2.4A)
- Suitable for all batteries belonging to the Scheppach IXES 20 Volt series
- Charges batteries quickly 2.0 Ah battery: about 60 mins charging time /
 4.0 Ah battery about 120 mins charging time
- · LED indicator light shows battery charge
- Smart charging system ensures a longer run time and extended battery life
- · With integrated wall bracket



Charging time approx. 60 mins (2.0 Ah) approx. 120 mins (4.0 Ah)



Long service life



LED indicator light



SDBC2.4A







SBC2.4A

Battery available separately

SPECIFICATIONS	CHARGER
	SBC2.4/

Dimensions L x W x H	125 x 83 x 73 mm	
	Input 🛨	Output 📑
Rated voltage	230 - 240 V~ / 50 Hz	21.5 V ===
Rated current		2.4 A
Rated input	65 W	

	SUBC2.4A	
Dimensions L x W x H	205 x 125 x 75 mm	
	Input 🕂	Output 📑
Rated voltage	230 – 240 V~ / 50 Hz	21.5 V ===
Rated current		2.4 A
Rated input	130 W	

LOGISTICAL DATA		
	SBC2.4A	SDBC2.4A
Weight net / gross	0.35 / 0.4 kg	0.7 / 0.9 kg
Packaging dimensions	165 x 115 x 92 mm	165 x 225 x 90 mm
Article number	7909201710	7909201712
Barcode	4014915236511	4014915236528
20 Container	11,328 pcs	5664 pcs
40 Container	24,180 pcs	12,060 pcs
40 HQ Container	27,636 pcs	13,800 pcs

indicator light

LED

CHARGER / TWINCHARGER

- · Compact 4.5 A charger for Li-ion batteries (SBC4.5A) / dual charger for charging two Li-ion batteries at the same time even with different capacities (SDBC4.5A)
- · Suitable for all batteries belonging to the Scheppach IXES 20 Volt series
- Charges batteries quickly 2.0 Ah battery: about 35 mins charging time / 4.0 Ah battery about 60 mins charging time
- Practical quick-charge function ensures up to 40% quicker charging
- · LED indicator light shows battery charge
- Smart charging system ensures a longer run time and extended battery life
- · With integrated wall bracket

PRODUCT DETAILS

Charging time approx. 35 mins (2.0 Ah) approx. 60 mins (4.0 Ah)



Long service life



LED indicator light



20 V





SPECIFICATIONS CHARGER			
	SDBC4.5A		
Dimensions L x W x H	240 x 145 x 85 mm		
	Eingang 🛨	Ausgang □	
Rated voltage	230 – 240 V~ / 50 Hz	21.5 V ====	
Rated current		4.5 A	
Rated input	240 W		

120 W

230 - 240 V~ / 50 Hz

21.5 V ===

4.5 A

LOGISTICAL DATA			
	SBC4.5A	SDBC4.5A	
Weight net / gross	0.4 / 0.6 kg	1.0 / 1.2 kg	
Packaging dimensions	187 x 125 x 97 mm	260 x 190 x 92 mm	
Article number	7909201711	7909201713	
Barcode	4014915236542	4014915236535	
20 Container	9000 pcs	4320 pcs	
40 Container	18,120 pcs	9360 pcs	
40 HQ Container	20,700 pcs	10,740 pcs	

ensures up to 40%

quicker chargin

Rated voltage

Rated current

Rated input

STARTER-KIT 2.0 / STARTER-KIT 4.0

- Practical starter kit consisting of one 20 V / 2.0 Ah battery and one 2.4 A charger (SBSK2.0) or one 20 V / 4.0 Ah battery and one 2.4 A charger (SBSK4.0)
- Suitable for all devices belonging to the Scheppach IXES 20 Volt series
- · Cordless work for maximum flexibility
- · Work protecting resources by using just one battery system
- Individual cell management protects from overheating as well as excess voltage and ensures uniform charging and discharging of the cells
- Extended battery life and run time, thanks to the minimised risk of excessive charging and deep discharge
- The remaining battery capacity can be read conveniently on the 3-level LED display
- High impact resistance and pleasant haptics, thanks to rubberised housing
- · Housing protected from dust and corrosion
- Compact 2.4 A charger for 20 V Li-ion batteries
- Charges batteries quickly 2.0 Ah battery: about 60 mins charging time / 4.0 Ah battery about 120 mins charging time
- · LED indicator light shows battery charge
- Smart charging system ensures a longer run time and extended battery life
- With integrated wall bracket

PRODUCT DETAILS

Charging time approx. 60 mins (2.0 Ah) approx. 120 mins (4.0 Ah)



Long service life



LED indicator light



20 V








SBSK2.0



OI EOII IOATIONO BALLENT		
	SBSK2.0	SBSK4.0
Dimensions L x W x H	125 x 80 x 50 mm	125 x 80 x 70 mm
Battery capacity	2.0 Ah	4.0 Ah
Battery tension	20 V ===	20 V ===



	SBSK2.0 / SBSK4.0	
Dimensions L x W x H	125 x 83 x 73 mm	
	Input 🛨	Output 📑
Rated voltage	230 – 240 V~ / 50 Hz	21.5 V ===
Rated current		2.4 A



SBSK4.0

| Selection | Selecti

Housing protected from dust and corrosion

LOGISTICAL DATA		
	SBSK2.0	SBSK4.0
Weight net / gross	0.77 / 0.85 kg	1.0 / 1.1 kg
Packaging dimensions	177 x 150 x 90 mm	177 x 150 x 90 mm
Article number	7909201720	7909201721
Barcode	4014915236726	4014915236733
20 Container	7800 pcs	7800 pcs
40 Container	15,660 pcs	15,660 pcs
40 HQ Container	17,928 pcs	17,928 pcs

More than 70 tools and a host of new developments

ensure that there are no limits when it comes to your projects!



Scheppach GmbH Günzburger Str. 69 | D-89335 Ichenhausen | Fon 0049/8223/4002-99 www.scheppach.com